


DSP600-211 NEW

4K Digital Signage Player with AMD Ryzen™ Embedded V1000 Series,
4 HDMI, 2 GbE LAN and 4 USB


Features

- AMD Ryzen™ Embedded V1000 series
- 2 DDR4-2400 SO-DIMM for up to 32GB of memory
- 4 HDMI 2.0 with 4K resolution
- 4 USB and 2 GbE LAN
- 1 M.2 Key E 2230 for Wi-Fi/BT
- 2 M.2 Key M 2280 for storage



Specifications

CPU	AMD Ryzen™ Embedded Quad Core V1807B/V1605B
Chipset	SoC integrated
System Memory	2 x DDR4-2400 SO-DIMM, up to 32GB
Storage	1 x M.2 Key M 2280 (SATA) 1 x M.2 Key M 2280 (NVMe)
TPM	TPM 2.0
Watchdog Timer	255 levels, 1 to 255 sec./min.
I/O	2 x USB 3.1 2 x USB 2.0 2 x GbE LAN 1 x Device management 4 x HDMI 2.0 (4K supported) 2 x RS-232 1 x Line-out 1 x SIM card 1 x HDD LED 1 x Power switch 1 x Reset switch 1 x Remote switch 1 x Screw type VDC power input connector 4 x Antenna opening
Expansion Interface	1 x M.2 Key E for Wi-Fi/BT (Wi-Fi/BT module kit is optional) 1 x M.2 Key B for 4G/LTE (4G/LTE module kit is optional) 1 x SIM card slot
Battery Lithium	Lithium 3 V/220 mAh
Power Input	+12V DC-in
Dimensions	250 mm (9.84") (W) x 182.8 mm (7.19") (D) x 30 mm (1.18") (H)
Weight (net/gross)	1.9 kg (4.18 lb)/2.9 kg (6.39 lb)
Vibration Endurance	3 Grms with M.2 storage (5 - 500Hz, X, Y, Z directions)
Operating Temperature	0°C to +45°C (32°F to +113°F) for V1605B 0°C to +40°C (32°F to +104°F) for V1807B
Humidity	10% - 95% relative humidity, non-condensing
Certifications	CE, FCC class A
EOS Support	Win 10, Linux
Software Support	AMS.AXView



Packing List

- 1 x Quick installation guide
- 1 x Adapter 12V
- 4 x Foot pad

Ordering Information

Standard

DSP600-211-V1807B (P/N: E22K600100)	4K digital signage player with AMD Ryzen™ Embedded V1807B, 4 HDMI, 2 GbE LAN and 4 USB
DSP600-211-V1605B (P/N: E22K600101)	4K digital signage player with AMD Ryzen™ Embedded V1605B, 4 HDMI, 2 GbE LAN and 4 USB

Optional

Mount Kit	VESA, wall mount kit
DDR4 SO-DIMM	8GB - 32GB
Wireless LAN Kit	Wi-Fi/BT module, LTE/4G module & antenna kits
Storage	M.2 Key M 2280 (SATA & NVMe)

Dimensions

