


RCSTARS Professional LCD Monitors will catch the attention of your customers. High resolution, high performance could meet all kinds of needs of commercial users. Rcstars monitors have a wide range screen sizes from 10" to 84" with 24/7 applications, Eco-Friendly LED Backlit commercial displays consume 30% less power than CCFL-Backlit models, prolong the lifetime of LCD Screen itself. All monitors are with VGA/HDMI inputs, could connect with any type media player box, PC and video devices.

**Key Features:**

- 28 inch LCD Monitor
- 1366x230 resolution
- 89/89/89/89 viewing angle
- VGA/HDMI inputs
- 7-24 hours operation
- Standard 200x100MM Vesa Holes
- 2 High Quality Speakers
- Infrared touch/Capacitive Touch options

**Application Areas**

- Hospitals
- Retail Stores
- Shopping Malls
- Supermarkets
- Museums and Galleries
- Airports
- Train/Bus Stations



### Specifications

DISPLAY	Panel Model	28 inch
	Max Resolution	1920x360
	Aspect Ratio	16:03
	Pixel Pitch	0.51075x0.51075
	Viewing Angle	89/89/89/89
	Contrast Ratio	3000:1
	Brightness	700cd/m
	Response Time	6.5ms
	Display Area (mm)	700x123
	Panel Size(mm)	732x165x21
	Screen Weight	5Kg
	Lamp Type	WLED
	INTERFACE	2*HDMI input
1*PC-RGB(VGA) input		
1*PC-Audio input		
1*Earphine output		
1*DC input		
PC-VGA		Up to 1920x1080@60Hz
HDMI	480i,480p,720i,720p,1080i,1080p	
	Switch	Power on/off
DESIGN	Color	Matte Black
	Wall Mount	VESA (75X75MM)

ON-SCREEN DISPLAY LANGUAGES	English, French, German, Italian, Polish, Russian, Simplified Chinese, Spanish, Turkish, Arabic, Japanese, Traditional Chinese etc.	
DISPLAY MODE	Portrait & Landscape	
POWER	Mains Power	DC 12V, 50-60 Hz
	Consumption	20 W
SOUND	Built-in Speakers	2 x 5W
DIMENSION & WEIGHT	Machine Size	739.5x53x180mm
	Machine Weight	6.7KG
	Carton Size	870x140x350mmmm
	Carton Weight	8.5KG
	Carton Size	890x720x370mm(5PCS)
OTHER	Regulatory Approvals	CE, FCC, ROHS, HDMI certificates
	Warranty	1 year warranty
ACCESSORIES	Remote Control	Optional
	Power Supply	x1 (DC adaptor/ DC cable)
	User's Manual	x1