

产品规格书 Product Specification



Data Sheet – GLA Series

Model No.: GLA-9110
GLA-9120
GLA-9130


Features & Typical Applications:

- High Efficiency
- Available with 3 beam angles
- Optimized Uniformity
- With holder
- Commercial Lighting
- Optical PMMA material
- Vacuum aluminum plating+ UV coating
- Dia91mm* H20mm

产品规格书 Product Specification

Mechanical Specification : GLA-9110/ GLA-9120/ GLA-9130

- 1) All dimensions are in mm
- 2) All tolerance are $\pm 0.2\text{mm}$ unless otherwise specified



GLA-01

产品规格书 Product Specification


Optical Specification :

CITIZEN
Micro HumanTech



CLL030: LES 17mm

GLA-9110
FWHM 9.6°

Luminous Intensity Distribution Curve(cd/klm)



Illuminance at a Distance



产品规格书 Product Specification


Optical Specification :





CLL030: LES 17mm

**GLA-9120
FWHM 18.9°**

Luminous Intensity Distribution Curve(cd/klm)



Illuminance at a Distance



产品规格书 Product Specification


Optical Specification :





CLL030: LES 17mm

**GLA-9130
FWHM 32.9°**

Luminous Intensity Distribution Curve(cd/klm)



Illuminance at a Distance



产品规格书 Product Specification

Package Specifications

Item	Quantity	Total	Size	G.W
Small box	48pcs	48pcs	32*24.5*12.3 cm	3.42
Outer box	6 small/outer box	288pcs	51x34x41cm	21.16

Packing Details

