


# ELPP-0101


## PCIe x 1 to mPCIe Module



### Features

- PCI-Express specification Rev. 2.0 compliant
- PCIe x1 to mPCIe pass-through design
- Industrial temperature -40 °C to 85 °C
- 3-year warranty
- Industrial design, manufactured in innodisk Taiwan

### Mechanical Drawing



### Specifications

#### Headquarters (Taiwan)

5F., No. 237, Sec. 1, Datong Rd.,  
Xizhi Dist., New Taipei City 221,  
Taiwan  
Tel: +886-2-77033000  
Email: sales@innodisk.com

#### Branch Offices:

##### USA

[usasales@innodisk.com](mailto:usasales@innodisk.com)  
+1-510-770-9421

##### Europe

[eusales@innodisk.com](mailto:eusales@innodisk.com)  
+31-40-3045-400

##### Japan

[jpsales@innodisk.com](mailto:jpsales@innodisk.com)  
+81-3-6667-0161

##### China

[sales\\_cn@innodisk.com](mailto:sales_cn@innodisk.com)  
+86-755-2167-3689

Form-Factor	Low profile PCIe
Input I/F	PCIe 2.0 x1
Output I/F	PCIe 2.0 x1
Output Connector	mPCIe x 1
Dimension (WxLxH)	72.1 x 68.9 x 10.2mm
Temperature	Operation: WT: -40°C ~ +85°C Storage: -55°C ~ +95°C
Environment	Vibration: 5G @7~2000Hz, Shock: 50G @ 0.5ms
Notes	

### Order information

**ELPP-0101-C2**  
PCIe x1 to mPCIe Module

**Optional Accessory**  
Standard PCIe Bracket  
Low-Profile PCIe Bracket

[www.innodisk.com](http://www.innodisk.com)

© 2021 Innodisk Corporation.  
All right reserved. Specifications  
are subject to change without  
prior notice.

April 27, 2021