

## DETAILS

<b>Product Number</b>	FA10676_CMC-M
<b>Family</b>	Rose
<b>Type</b>	Assembly
<b>Color</b>	black
<b>Diameter</b>	21,6 + 21,6 mm
<b>Height</b>	13,8 mm
<b>Style</b>	square
<b>Optic Material</b>	PC
<b>Holder Material</b>	
<b>Fastening</b>	tape
<b>Status</b>	production ready
<b>ROHS Compliant</b>	Yes
<b>Date Updated</b>	26/06/2013




## OPTICAL PROPERTIES

LED	Viewing Angle	Light Beam	Efficiency	cd/lm	Connector
MC-E	30 deg	Medium	85 %	2.460	-

Ledil Oy FA10676\_CMC-M FA10676\_CMC-M / LDC (Linear)


Luminaire: Ledil Oy FA10676\_CMC-M FA10676\_CMC-M  
Lamps: 1 x CREE MC-E (white)



# Ledil Oy FA10676\_CMC-M FA10676\_CMC-M / LDC (Polar)

Luminaire: Ledil Oy FA10676\_CMC-M FA10676\_CMC-M

Lamps: 1 x CREE MC-E (white)



cd/klm

— C0 - C180

— C90 - C270

**SIMULATED**

**NOTE: The typical divergence will be changed by different color, chip size and chip position tolerance. The typical total divergence is the full angle measured where the luminous intensity is half of the peak value.**