


MANO872

LGA1155 Socket Intel® Core™ i7/ i5/ i3/ Celeron® Mini ITX SBC with Intel® Q77 PCH, DisplayPort/DVI-I/LVDS, Dual LANs and USB 3.0

NEW



System


CPU	LGA1155 Socket 3rd Generation Intel® Core™ i7/ i5/ i3/ Celeron® processor
System Memory	2 x 204-pin SO-DIMM dual channel DDR3-1333/1600 max up to 16 GB
Chipset	Intel® Q77
BIOS	AMI UEFI BIOS with OA 3.0 built
SSD	N/A
Watchdog Timer	255 level, 1 ~ 255 sec.
Expansion Interface	1 x PCIe x16 Gen3 1 x PCI Express Mini Card
Battery	Lithium 3V/220 mAh
Power Requirements	TBD
Size	170 x 170 mm
Board Thickness	1.6 mm
Temperature	0° ~ +60°C (32°F ~ 140°F), operation
Operation Humidity	10% ~ 95% relative humidity, non-condensing

I/O


MIO	1 x RS-232/422/485 (COM 1) 3 x RS-232 (COM 2-4); COM 1 and COM 3 with 5V/12V power
SATA	2 x SATA-300; 1 SATA-300 supports SATA DOM 2 x SATA-600 support RAID 0/1/5/10
Hardware Monitoring	Detect CPU/System temperature, voltage and fan speed
Ethernet	1st port as 10/100/1000 Mbps support WOL, PXE with Intel® 82579LM/V (LAN 1) 2nd port as 10/100/1000 Mbps support WOL, PXE with Intel® 82583V (LAN 2)
Audio	HD Audio as Mic-in/Line-out with Realtek ALC662
USB	4 x USB 3.0 4 x USB 2.0
TPM	Infineon TPM1.2 SLB9635
Digital I/O	8 Channels (4-IN & 4-OUT)
SM BUS	N/A

Features

- LGA1155 socket 3rd Generation Intel® Core™ i7/ i5/ i3/ Celeron® processors
- Intel® Q77 PCH
- 2 DDR3-1333/1600 MHz max. up to 16 GB memory capacity
- PCIe x16 Gen3 support
- 2 SATA-600 with RAID 0,1, 5 and 10
- 2 SATA-300 with 1 SATA DOM supported
- 4 USB 3.0
- iAMT 8.0 supported
- TPM 1.2 supported
- Triple view display



▲ Rear view



▲ Side view

Display

Chipset	Intel® HD 2000/3000/4000 Graphics
Memory Size	Shared Memory
Display Interface	1 x DisplayPort 1 x DVI-I 1 x LVDS

Packing List

Standard

User's manual/utility CD, cable, I/O bracket

Ordering Information

Standard

MANO872	LGA1155 socket Mini ITX SBC with Intel® Core™ i7/ i5/ i3/ Celeron®, DisplayPort/DVI-I/LVDS, 2 10/100/1000Mbps and 4 USB 3.0
---------	---